Chief,

Guef, Coctect Division

Temperat for Jamples of "Slarry Grass" (Stips Vescyl), and Information Concerning its Hypnotic and Rerectic Effects.

 This case has developed as a result of the continuing strong interest in various espects of unconventional variant and the possible uses of such psychogenic agents as 152 %, inhlocapatine, knowpine, and follocaparasacaes. There has been increasing evidence of extensive Societ research in this field which sakes imperative described efforts to obtain all information possible on new and stronge hypothic and morotic agents.

2. If pessible please obtain about trenty-five pounds of carefully cried "Theory Grous" (Stips Variet) and up to one pound of the scote of this plant, while this press occurs in the northern part of Res Rection, car Les Verya, Ross, and Chang, the reports of the mercotic properties are continued to the general region of the Sammanto and Sierra Edmen Yountains in nouthern how herizon, region of the Sammanto and Sierra Edmen You had no a kymotic and rerootic It is also know to grew in Rossella. This plant has a kymotic and rerootic action which affects aminals, especially horses, and convex a profound along, but solden cause doubt.

3. It is suggested that the requirements on this case may be filled by contenting start mathems of the following start mathems, but he heightly

the in addition to obtaining surplus or we need out press is interested in any research work which any home been done, especially exceeming the nature of the active agent. Suppositions as to incadesposite accientists who might be interested in studying the hypotic with exceeding caffects of Stipe Versell would also be exprecisted. The princip information now corollable its contained in U. S. Department of Agriculture Technical Belletin 10. 114 published in June 1979.

APPROVED FOR RELEASE.

(Attention